

Wifi connection

Configure WiFi Connections

This article comes from [here](#).

This section explains how to establish a WiFi connection. It covers creating and modifying connections as well as directly connecting.

Establish a Wireless Connection

This section will show how to establish a wifi connection to the wireless network. Note that directly connecting will implicitly create a connection (that can be seen with “nmcli c”). The naming of such will follow “SSID N” pattern, where N is a number.

First, determine the name of the WiFi interface:

```
$ nmcli d
```


| DEVICE | TYPE | STATE | CONNECTION |
|--------|------|--------------|------------|
| ... | | | |
| wlan0 | wifi | disconnected | -- |

Make sure the WiFi radio is on (which is its default state):

```
$ nmcli r wifi on
```

Then, list the available WiFi networks:

```
$ nmcli d wifi list
```

| * SSID | MODE | CHAN | RATE | SIGNAL | BARS | SECURITY |
|---------|-------|------|-----------|--------|---|----------|
| ... | | | | | | |
| my_wifi | Infra | 5 | 54 Mbit/s | 89 |  | WPA2 |

As an example, to connect to the access point ‘my_wifi’, you would use the following command:

```
$ nmcli d wifi connect my_wifi password <password>
```

is the password for the connection which needs to have 8-63 characters or 64 hexadecimal characters to specify a full 256-bit key.

Connect to a Hidden Network

A hidden network is a normal wireless network that simply does not broadcast its SSID unless solicited. This means that its name cannot be searched and must be known from some other source.

Issue the following command to create a connection associated with a hidden network :

```
$ nmcli c add type wifi con-name <name> ifname wlan0 ssid <ssid>  
$ nmcli c modify <name> wifi-sec.key-mgmt wpa-psk wifi-sec.psk <password>
```

Now you can establish a connection by typing:

```
$ nmcli c up <name>
```

is an arbitrary name given to the connection and is the password to the network. It needs to have between 8-63 characters or 64 hexadecimal characters in order to specify a full 256-bit key.

Further Information

You will find further information and more detailed examples on following page:

- <https://developer.gnome.org/NetworkManager/unstable/nmcli.html>

Revision #2

Created 18 September 2024 21:37:20 by Thorgan

Updated 18 September 2024 21:40:29 by Thorgan